	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1455	carrier-to-interference or c/i	USPAT; US-PGPUB; EPO; JPO	2004/06/19 16:00
2	BRS	L2	4156	rpc or reverse adj power adj control	USPAT; US-PGPUB; EPO; JPO	2004/06/19 16:00
3	BRS	L3	1398	hdr or high adj data adj request	USPAT; US-PGPUB; EPO; JPO	2004/06/19 16:01
4	BRS	L4	23	1 and 2 and 3	USPAT; US-PGPUB; EPO; JPO	2004/06/19 16:13
5	BRS	L5	58	1 and 2	USPAT; US-PGPUB; EPO; JPO	2004/06/19 17:12

	Comments	Error Definition	Errors
1			0
2			0
3			0
4			0
5			0

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4156	rpc or reverse adj power adj control	USPAT; US-PGPUB; EPO; JPO	2004/06/18 13:46
2	BRS	L2	7689	hdr or high adj data adj rate	USPAT; US-PGPUB; EPO; JPO	2004/06/18 13:46
3	BRS	L3	168	1 and 2	USPAT; US-PGPUB; EPO; JPO	2004/06/18 13:46
4	BRS	L4	100	receiv$3 with data with rate with request with terminal	USPAT; US-PGPUB; EPO; JPO	2004/06/18 13:47
5	BRS	L6	54687	setting with power	USPAT; US-PGPUB; EPO; JPO	2004/06/18 13:47

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L7	1	5 and 6	USPAT; US-PGPUB; EPO; JPO	2004/06/18 13:47
7	BRS	L5	4	3 and 4	USPAT; US-PGPUB; EPO; JPO	2004/06/18 13:48